The Gemalto offer for PKI market in Russia gemalto*



Agenda

- × Introduction
- ★ Gemalto IdA portfolio
- X Java PKI cards for developers
- ★ GOST certified solution
- ▼ IDPrime minidriver PKI cards
- × USB PKI Tokens

We are the world leader in digital security

€2.4_{bn}

revenue 2013

12,000

employees worldwide

86%

customer satisfaction in annual survey

 2_{bn+}

end-users benefit from our solutions

110+

patents and patent applications in 2013

190 countries

where our clients are based



IdA Product Offer







Hardware

IDPrime





Software





IDCore family

Java Card 2.2.2 **High Speed Performance** (up to 460 kbps) **ISO14443** type **A&B Compliant** (106, 212, 424, 848 Kbps) **Data retention** Up to 25 years

Applets in ROM: MPCOS, OATH

Full compliance with GP 2.1.1.A

(incl. SCP01, SCP02, SD extradition

& Delegated Management)



3DES (ECB, CBC) AES (128,192,256) SHA-1, SHA-256,384,512, RSA 2048, ECC P-224 - 521


T=0, T=1, T=CL communication protocols

RSA operations & On Board Key Generation UP TO 2048 bits

GOST 28147-89, R 34.10-2001, R 34.10-2012 Ready (option) Available EEPROM: 80 - 128 Kbytes



GOST certified solution (token)





GOST certified solution (middleware)

X CryptoPro CSP 4.0 FKC middleware features

- ★ Key establishing GOST 28147-89
- Encryption/decryption GOST 28147-89
- Hash GOST R 34.11-94 and GOST R 34.11-2012
- X Signature verification GOST R 34.10-2001 and GOST R 34.10-2012
- Control of integrity of data by computing of Message Authentication Code (MAC) according to GOST 28147-89 standards





Gemalto IDPrime range messaging

	Differentiating features	Core message	
IDPrime.NET	 Large customer base, including Microsoft Tokens OTP option Biometrics option 	 Standard IDPrime offer Easy to deploy / Low TCO Versatility (form factors, OTP / PKI, hybrid card) Wide ecosystem integration 	
IDPrime MD IDPrime MD Mark Davies Cold Operating Office Generalization of Galletin Generalization of Galletin	 Contact or Dual (NFC) CC EAL5+ / SSCD certified Elliptic curves MPCOS (e-purse) option OTP option 	 Ready for mobile PKI, with the contactless inferface compliant to ISO14443 / NFC. Digital Signature compliant with regulations 	



IDPrime Minidriver dll

- One certified minidriver dll (named axaltocm.dll) for all 32 / 64 bit Windows OS
 - X Backward compatible with all previous cards including .NET card v2 / v2+ versions
 - X Latest evolutions: Performance optimization, maintenance
- To install the minidriver dll manually
 - Download the dll zip from <u>Microsoft Update site</u> and extract its files on your disk
 - Right click on the .inf file and Install
- To install the minidriver dll automatically
 - Download the <u>installation software</u> zip file from the gemalto.com Product Catalog
 - On Windows 7, the installation of the minidriver dll should occur automatically after the first card insertion



USB PKI Token Offering

Selection guide

	Removable Smart Card	Sealed Smart Card	Tamper evident Waterproof	Flash Card interface
K30 gemalto				
K50				
K3000 gemalto ^x				



IDBridge K30

Product features

gemalto

GOST PKI Token





IDBridge K30





Plug-in card reader

- Removable SIM sized smart card
- GemCore Smart Card Interface
- USB 2.0 full speed certified




- Microsoft CCID compliant
- PC/SC drivers for Microsoft, Linux, MacOS and Android
- Compliant with GOST

Portable device

- Smaller than a house key (LWH 64x16x8 mm)
- To be easily carried with a key ring
- Customer specific color, logo upon request
- Identification of the end-user through visible SIM Card back side printing


IDBridge K3000

Modular platform – assembly by qualified partners



IDBridge K3000

Benefits





Questions?

Thank You!

Miroslaw.Tocicki@gemalto.com